



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/607,644	06/27/2003	Steven Edson Forsythe	0026283.0513114	2650
7590 03/09/2005				
Frost Brown Todd LLC 2200 PNC Center 201 East Fifth Street Cincinnati, OH 45202		EXAMINER SALATA, ANTHONY J		
		ART UNIT PAPER NUMBER		
		2837		

DATE MAILED: 03/09/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/607,644

Applicant(s)

FORSYTHE ET AL.

Examiner

Jonathan Salata

Art Unit

2837

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-7 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-7 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 27 June 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date ____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: ____.

Art Unit: 2837



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
ASSISTANT SECRETARY AND COMMISSIONER OF PATENTS AND
TRADEMARKS
Washington, D.C. 20231

Paper No:03032005
Application No:10/607644
Filing Date: June 27,2003

1. The disclosure is objected to because of the following informalities: Several instances of incorrect spelling are found within the claims and spec. It is suggested they be rechecked and corrected.

Specifically claims 4,6,7 terminology of "care" and "planform" require correction..

Appropriate correction is required.


2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Miyagi (JP 04169484 A) and Friedli et al (6062346)

Miyagi teaches in figures 1-4, and elevator story display.

Art Unit: 2837



Elevators 1,2 have a display device (interface) 8 which displays destinations for each elevator , figure 2 . As illustrated, the number (text of the destination is displayed based on inputs from panel 7 and the display 8 illustrates the orientation of the elevators with associated destinations.

Miyagi does not illustrate the display on multiple floors or the "accentuating" an input.

Friedli et al teaches that for an elevator destination display, it is advantageous to provide associated symbols/written characters to provide destinations for users unfamiliar with the building layout as well as alerting a registered call with an indicator. Further, the displays are adjusted at each floor to remove unnecessary keys to improve efficiency.

Thus, to utilize the multi-floor displays and multiple indicators would have been an obvious engineering design choice to one of ordinary skill in the art to improve efficiency and aid unfamiliar passengers.

Art Unit: 2837

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Schuster et al.'231,'083, Yoshida et al., Hattori et al., Friedli et al '570, Matsuda et al., Chida et al.

And the foreign references are cited to illustrate similar display systems for elevator call registration, .

A shortened statutory period for response to this action is set to expire 3 months from the date of this letter.

Failure to respond within the period for response will cause the application to become abandoned. 35 U.S.C. 133

Any inquiry of a **general nature** should be directed to the **Group receptionist whose telephone number is (571) 272-2800.**

Information regarding the **STATUS** of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either private PAIR or public PARI. Status information for unpublished applications is available through Private PAIR ONLY. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Any questions on access to PAIR, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Papers related to this application may be submitted to Group 2800 by facsimile transmission. Papers should be faxed to Group 2800 via the PTO 2800 Fax Center located at Crystal Plaza 4. The faxing of such papers must conform with the notice published in the Official Gazette, 1096 O.G. 30 (November 15, 1989). The Group 2800 Fax Center number is (703) 872-9306.

For assistance in **Patent procedure, fees or general Patent questions** calls should be directed to the **Patents Assistance Center (PAC)** whose telephone number is **800-786-9199**. Assistance is also available on the Internet at www.uspto.gov.

For requesting **copies** of Cited Art, Office Actions or the like, or General Problem solving, calls should be directed to the TC 2800 Customer Service Office whose telephone number is 703-306-3329 or by fax at 703-306-5515.

Any inquiry concerning **this communication or earlier communications from the examiner** should be directed to **Jonathan Salata** whose telephone number is **(571) 272-2073**. The examiner can normally be reached on Monday through Thursday from 7:30 am to 2:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Martin, can be reached on (571) 272-2107.

ajs

March 3, 2005


JONATHAN SALATA
PRIMARY EXAMINER
ART UNIT 2837